

Factory 17C , 4-8 Rana Road, Isipingo Tel: 031 902 3227 Fax: 031 902 5346 Mail: info@permanite.co.za www.permanite.co.za

CONSTRUCTION: CHEMICALS MATERIALS / CONSUMABLES WAX PRODUCTS: SYNTHETIC & PETROLEUM PAINTS: DECORATIVE & INDUSTRIAL ADDITIVES: CURING & PROTECTION WATERPROOFING & JOINT SEALING JOINT FORMERS

Material Safety Data Sheet

SECTION ONE: IDENTIFICATION OF THE SUBSTRATE/PREPARATION:

Name: Plaster PrimerC.A.S No:PreparationCode:20002Ecochem Ref:96.56.2UN No:1263SAPMA:3-H-EHazard Rating:F N 3Hazchem:3[Y]

SECTION TWO: COMPOSITION ON INGREDIENTS:

Aliphatic Solvent: > 20 Lead Content - Total: < 0,1 %

This product contains "NO ADDED LEAD" and measured Lead levels are below 90g.

NO OTHER HAZARDOUS COMPONENTS PRESENT.

See Section 15 for full text of R (risk) and S (safety) phrases. RL=recommended limit; *S=skin absorption

SECTION THREE: HAZARDOUS IDENTIFICATION:

SAPMA Health Rating: 3-Slight- Irritation or minor reversible injury possible.

Inhalation: Irritating, narcotic. Can affect CNS.

Skin: Possible skin sensitizer. Irritating, risk of dermatitis. May be absorbed.

Eyes: Irritating. Ingestion: Irritating.

NO CARCINOGENIC, MUTAGENIC OR GENETIC EFFECTS ESTABLISHED.

May have short term environmental effects. Contain, monitor and remove.

SECTION FOUR: FIRST AID MEASURES:

Inhalation: Move to fresh air. In case of discomfort seek medical attention.

Skin: Use hand cleaner or plenty of soap and water. Remove contaminated clothing.

If any discomfort persists, seek medical advice.

Eyes: Rinse immediately with plenty of water. Seek medical advice if symptoms persist. **Ingestion:** Give plenty of water or milk. DO NOT INDUCE VOMITING! Seek medical advice.

SECTION FIVE: FIRE FIGHTING MEASURES:

Fire Rating: Flammable - Flash point < 63°C.

Reactivity: Inert - No reaction with fire-fighting water.

Fire: Foam. CO₂. Dry powder. Fog to cool and control. DO NOT use water jets.

Explosion: Cool containers in case of fire.

SECTION SIX: ACCIDENTAL RELEASE MEASURES:

See also section 5, 8 and 13.

Contain and collect. Keep out of drains and sewers.

SECTION SEVEN: HANDLING AND STORAGE:

Storage: Store separately from any reactive substances - oxidisers in particular.

Fire: No open flames. No smoking.

Explosion: Keep containers cool. Avoid free fall of liquid - use earthing.

SECTION EIGHT: EXPOSURE CONTROLS / PERSONAL PROTECTION:

SAPMA Rating: 3-H-E **PPE:** Respirator & suitable eye protection.

Inhalation:In case of insufficient ventilation, use suitable respiratory protection.Skin:Possible skin sensitizer. Use barrier cream and impervious gloves.

Eyes: Use goggles or respirator. Avoid direct contact.

Ingestion:Observe the rules of hygiene. Wash before eating, drinking or smoking.General:Appropriate hand protection and protective clothing must always be used.







SECTION NINE: PHYSICAL AND CHEMICAL PROPERTIES:

Chemical class: Paint

Appearance: White viscous liquid.

Odour: Pungent
pH: N/A
Flash Point: 37°C TCC

Flammability: Flammable - Flash Point < 63°C

Solubility: Water : Insoluble
Density: 1.34 -1.42

 Non-Volatile:
 46 - 50 %

 Explosivity:
 1.0 / 8.7 %

 Boiling Range:
 160 - 200°C

 Oil:
 Miscible

SECTION TEN: STABILITY AND REACTIVITY:

Static: Could produce static discharge - use earthing.

Stability: Stable if stored under normal conditions. Hazardous polymerisation will not occur.

SECTION ELEVEN: TOXICOLOGICAL INFORMATION:

No carcinogenic, mutagenic or genetic effects established.

Possible skin sensitizer.

SECTION TWELVE: ECOLOGICAL INFORMATION:

May have short-term environmental effects. Contain, collect, and remove.

SECTION THIRTEEN: DISPOSAL INFORMATION:

 $\label{thm:local_equation} \mbox{Hazardous. Use reputable waste disposable contractors. Destroy used containers.}$

SECTION FOURTEEN: TRANSPORT INFORMATION:

UN Number:1263Hazchem Code:3[Y]Packing Group:Paint - IIIIMO Class:3.3EA Code:127Marine Pollutant Class:Y

SECTION FIFTEEN: REGULATORY INFORMATION:

R10: Flammable.

R43/66: May cause sensitisation and dryness or cracking by repeated skin contact.

S16: Keep away from sources of ignition - No smoking.

S28: After contact with skin, wash immediately with soap and water, or use approved

hand cleaner.

S33: Take precautionary measures against static discharges.

SECTION SIXTEEN: OTHER INFORMATION:

Take precautionary measures against static discharge. In case of any discomfort seek medical assistance.

Information given herein is offered in good faith and as accurate but without any guarantee. All risks of use of the product are therefore assumed by the user. Appropriate warnings and safe handling procedures should be provided to users and handlers.